

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier SONAX Cleaner Wax

Other means of identification Not available.

Synonym(s) 02022410-755

Recommended use Car Care

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Sonax GmbH

Address Münchener Strasse 75

Germany

Telephone 0049 84 31 53-0

Emergency CONTACT (24-Hour-Number)

GBK/Infotrac ID 91785: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

Supplier Vision Investments, LLC

17417 Tiller Court Westfield, IN 46074 US Email: info@sonaxusa.com Phone: 1-317-295-7056

2. Hazards Identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/Information on Ingredients

lixtures			
Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated middle		64742-46-7	1 - 5
Distillates (petroleum), light hydrotreated		64742-47-8	1 - 5

Composition comments Non-hazardous by OSHA criteria

4. First Aid Measures

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists. Skin contact

Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical Eye contact

attention if irritation persists.

Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of Ingestion

aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special Treat patient symptomatically.

treatment needed General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing media

Water spray. Alcohol foam. Carbon dioxide. Dry chemical.

Not available.

Specific hazards arising from

the chemical

Not available.

Special protective equipment

and precautions for firefighters

Firefighters should wear full protective clothing including self-contained breathing apparatus.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental Release Measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination.

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling

Use only with adequate ventilation.

Avoid contact with eyes, skin and clothing.

Avoid breathing vapors or mists. Wash thoroughly after handling.

Use good industrial hygiene practices in handling this material.

When using do not eat or drink.

Conditions for safe storage, including any incompatibilities Keep away from heat, open flames or other sources of ignition.

Store away from incompatible materials (see Section 10 of the SDS).

Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Distillates (petroleum),	PEL	5 mg/m3	Mist.
hydrotreated middle (CAS			

64742-46-7)

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Distillates (petroleum),	TWA	5 mg/m3	Inhalable fraction.
hydrotreated middle (CAS			

64742-46-7)

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value Form

Distillates (petroleum), STEL 10 mg/m3 Mist. hydrotreated middle (CAS 64742-46-7)

Distillates (petroleum), light hydrotreated (CAS

64742-47-8)
Biological limit values

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Chemicals listed in section 3 that are not listed here do not have established limit values for

ACGIH.

Appropriate engineering

controls

Ensure adequate ventilation.

TWA

TWA

Individual protection measures, such as personal protective equipment

Eye/face protection Not normally required when used as directed. If contact is likely, safety glasses with side shields

are recommended.

Skin protection

Hand protection Not normally required when used as directed. For prolonged or repeated skin contact use suitable

protective gloves.

Other As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks

Mist.

5 mg/m3

100 mg/m3

and immediately after handling the product. When using do not eat or drink.

9. Physical and Chemical Properties

Appearance Liquid
Physical state Liquid.
Form Emulsion
Color Blue
Odor Fruity

Odor threshold Not available.
pH 7.5 - 8.5

Melting point/freezing point Not available.

Initial boiling point and boiling

range

212 - 527 °F (100 - 275 °C)

Pour point Not available.

Specific gravity Not available.

Partition coefficient Not available.

(n-octanol/water)

Flash point > 200.0 °F (> 93.3 °C)

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Relative density

Not available.

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density

Solubility(ies) Not available.

Auto-ignition temperature

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density 0.98 - 0.99 g/cm3

Dynamic viscosity $2000 - 4000 \text{ mPa} \cdot \text{s} @ 20^{\circ}\text{C}$ Kinematic viscosity $> 20.5 \text{ mm}^2/\text{s} @ 40^{\circ}\text{C}$

10. Stability and Reactivity

Reactivity

The product is stable and non reactive under normal conditions of use, storage and transport.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

Not available.

Conditions to avoid Do not mix with other chemicals.

Incompatible materials Oxidizers.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological Information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.IngestionMay cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and toxicological characteristics

There are no hazards associated with this product in normal use. Direct contact with eyes may

cause temporary irritation.

Information on toxicological effects

Acute toxicity

irritation

Corneal opacity value Iris lesion value

Components Distillates (petroleum), hydrotreate	Species ed middle (CAS 64742-46-7)	Test Results
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Rat	7640 mg/m3, 4 Hours, ECHA
		4.6 mg/L, 4 Hours, ECHA
Oral		
LD50	Rat	> 5000 mg/kg, ECHA
Distillates (petroleum), light hydro	treated (CAS 64742-47-8)	
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Rat	> 5.3 mg/L, 4 Hours, ECHA
Oral		
LD50	Rat	> 5000 mg/kg, ECHA
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation	on.
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye	Direct contact with eyes may cause temporary irritati	on.

Not available.

Not available.

Conjunctival reddening

value

Recover days

Not available.

Conjunctival oedema value

Not available.

Not available.

Respiratory or skin sensitization

Respiratory sensitization

Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Not classified.

Carcinogenicity Contains < 3% (w/w) DMSO-extract

ACGIH Carcinogens

Aluminum oxide (CAS 1344-28-1)

Distillates (petroleum), hydrotreated middle (CAS

A4 Not classifiable as a human carcinogen.

A4 Not classifiable as a human carcinogen.

64742-46-7)

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified. Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Chronic effects Not classified.

Further information This product has no known adverse effect on human health.

12. Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Nο

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Aluminum oxide	1344-28-1	1.35	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug Not regulated.

Administration (FDA)

US state regulations See below

US - Minnesota Haz Subs: Listed substance

Aluminum oxide (CAS 1344-28-1)

Distillates (petroleum), hydrotreated middle (CAS

ALUMINUM OXIDE

OIL MIST, MINERAL

64742-46-7)

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. Massachusetts RTK - Substance List

Aluminum oxide (CAS 1344-28-1)

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1)

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

US. Rhode Island RTK

Aluminum oxide (CAS 1344-28-1)

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

California Proposition 65

United States & Puerto Rico

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Toxic Substances Control Act (TSCA) Inventory

Country(s) or region Inventory name

On inventory (yes/no)*


Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH /	0
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	Х



Disclaimer

Issue date

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

05-May-2021

Version #

Further information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Other information

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Prepared by Dell

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021