

## 1. Identification

<b>Product identifier</b>	<b>PROFILINE EX 04-06</b>	
<b>Other means of identification</b>		
<b>Product code</b>	02420000, 02421410, 02423000, 02425000, 02429050	
<b>Recommended use</b>	Car Care	
<b>Recommended restrictions</b>	None known.	
<b>Manufacturer/Importer/Supplier/Distributor information</b>		
<b>Manufacturer</b>		
<b>Company name</b>	Sonax GmbH	
<b>Address</b>	Münchener Strasse 75 D-86633 Neuburg/Donau Germany	
<b>Telephone</b>	Phone:	0049 84 31 53-0
<b>E-mail</b>	Not available.	
<b>Emergency phone number</b>	Emergency Contact (24h)	GBK/Infotrac ID 91785: (USA domestic) 1 800 535 5053 or international (001) 352 323
<b>Supplier</b>	Vision Investments, LLC 17414 Tiller Court Westfield, IN 46074 US Email: info@sonaxusa.com Phone: 1-317-295-7056	

## 2. Hazard identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Not classified.	
<b>Environmental hazards</b>	Not classified.	
<b>WHMIS 2015 defined hazards</b>	Not classified	
<b>Label elements</b>		
<b>Hazard symbol</b>	None.	
<b>Signal word</b>	None.	
<b>Hazard statement</b>	The mixture does not meet the criteria for classification.	
<b>Precautionary statement</b>		
<b>Prevention</b>	Observe good industrial hygiene practices.	
<b>Response</b>	IF exposed or concerned: Get medical attention.	
<b>Storage</b>	Store away from incompatible materials.	
<b>Disposal</b>	Dispose of waste and residues in accordance with local authority requirements.	
<b>WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)</b>	None known	
<b>WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)</b>	None known	
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.	
<b>Supplemental information</b>	None.	

## 3. Composition/Information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based		72623-86-0	5 - 10
Distillates (petroleum), hydrotreated middle		64742-46-7	3 - 7
1,2-Propanediol		57-55-6	1 - 5
Aluminium oxide		1344-28-1	1 - 5
Distillates (petroleum), light hydrotreated		64742-47-8	1 - 5
Glycerol		56-81-5	1 - 5
Propylene glycol monomethyl ether		107-98-2	0.5 - 1.5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

#### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.
<b>Most important symptoms/effects, acute and delayed</b>	Direct contact with eyes may cause temporary irritation.
<b>Indication of immediate medical attention and special treatment needed</b>	Treat symptomatically.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

#### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Treat for surrounding material.
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>Hazardous combustion products</b>	Not available

#### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

<b>Precautions for safe handling</b>	Avoid prolonged exposure. Observe good industrial hygiene practices.
--------------------------------------	--

## 8. Exposure controls/Personal protection

### Occupational exposure limits

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m3	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	TWA	200 mg/m3	Vapour.
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.
Propylene glycol monomethyl ether (CAS 107-98-2)	STEL	553 mg/m3	
		150 ppm	
	TWA	369 mg/m3 100 ppm	

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	1 mg/m3	Mist.
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	TWA	200 mg/m3	Non-aerosol.
Glycerol (CAS 56-81-5)	TWA	3 mg/m3	Respirable mist.
		10 mg/m3	Mist.
Propylene glycol monomethyl ether (CAS 107-98-2)	STEL	100 ppm	
	TWA	50 ppm	

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	5 mg/m3	Inhalable fraction.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0)	TWA	5 mg/m3	Inhalable fraction.
Propylene glycol monomethyl ether (CAS 107-98-2)	STEL	100 ppm	
	TWA	50 ppm	

#### Canada. New Brunswick OELs: Threshold Limit Values (TLVs) Based on the 1991 and 1997 ACGIH TLVs and BEIs Publication (New Brunswick Regulation 91-191), as amended

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m3	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.

**Canada. New Brunswick OELs: Threshold Limit Values (TLVs) Based on the 1991 and 1997 ACGIH TLVs and BEIs Publication (New Brunswick Regulation 91-191), as amended**

Components	Type	Value	Form
Propylene glycol monomethyl ether (CAS 107-98-2)	STEL	553 mg/m <sup>3</sup>	
	TWA	150 ppm 369 mg/m <sup>3</sup> 100 ppm	

**Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)**

Components	Type	Value	Form
1,2-Propanediol (CAS 57-55-6)	TWA	155 mg/m <sup>3</sup>	Vapour and aerosol.
		10 mg/m <sup>3</sup> 50 ppm	Aerosol Vapour and aerosol.
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0)	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.
Propylene glycol monomethyl ether (CAS 107-98-2)	STEL	100 ppm	
	TWA	50 ppm	

**Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)**

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m <sup>3</sup>	Total dust.
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.
Glycerol (CAS 56-81-5)	TWA	10 mg/m <sup>3</sup>	Mist.
Propylene glycol monomethyl ether (CAS 107-98-2)	STEL	553 mg/m <sup>3</sup>	
		150 ppm	
	TWA	369 mg/m <sup>3</sup> 100 ppm	

**Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)**

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	15 minute	20 mg/m <sup>3</sup>	
	8 hour	10 mg/m <sup>3</sup>	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	15 minute	10 mg/m <sup>3</sup>	
	8 hour	5 mg/m <sup>3</sup>	
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	15 minute	250 mg/m <sup>3</sup>	Vapour.
	8 hour	200 mg/m <sup>3</sup>	Vapour.
Glycerol (CAS 56-81-5)	15 minute	20 mg/m <sup>3</sup>	Mist.
	8 hour	10 mg/m <sup>3</sup>	Mist.
Propylene glycol monomethyl ether (CAS 107-98-2)	15 minute	150 ppm	
	8 hour	100 ppm	

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	PEL	5 mg/m3	Mist.
Glycerol (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

**US. OSHA Table Z-3 (29 CFR 1910.1000)**

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 Mppcf	Total dust.
		15 Mppcf	Respirable fraction.
Glycerol (CAS 56-81-5)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 Mppcf	Total dust.
		15 Mppcf	Respirable fraction.

**US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	5 mg/m3	Inhalable fraction.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0)	TWA	5 mg/m3	Inhalable fraction.
Propylene glycol monomethyl ether (CAS 107-98-2)	STEL	100 ppm	
	TWA	50 ppm	

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	TWA	100 mg/m3	
Propylene glycol monomethyl ether (CAS 107-98-2)	STEL	540 mg/m3	
		150 ppm	
	TWA	360 mg/m3 100 ppm	

**US. Workplace Environmental Exposure Level (WEEL) Guides**

Components	Type	Value	Form
1,2-Propanediol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines****Canada - Alberta OELs: Skin designation**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

Can be absorbed through the skin.

**Canada - British Columbia OELs: Skin designation**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

Can be absorbed through the skin.

## Canada - Saskatchewan OELs: Skin designation

Distillates (petroleum), light hydrotreated (CAS  
64742-47-8)

Can be absorbed through the skin.

**Appropriate engineering controls** Ensure adequate ventilation.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Not normally required when used as directed.

#### Skin protection

**Hand protection** Not normally required when used as directed.

**Other** As required by employer code.

**Respiratory protection** Not normally required if good ventilation is maintained.

**Thermal hazards** Not applicable.

**General hygiene considerations** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

---

## 9. Physical and chemical properties

---

<b>Appearance</b>	Paste.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Colour</b>	White
<b>Odour</b>	Odourless
<b>Odour threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Specific gravity</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not flammable
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	> 20.5 mm <sup>2</sup> /s
<b>Other information</b>	
<b>Pour point</b>	Not available.
<b>Explosive properties</b>	Not explosive.
<b>Oxidising properties</b>	Not oxidising.

---

## 10. Stability and reactivity

---

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.

<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Conditions to avoid</b>	Not available.
<b>Incompatible materials</b>	Strong oxidising agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

---

## 11. Toxicological information

---

**Routes of exposure** Inhalation. Ingestion. Skin contact. Eye contact.

**Information on likely routes of exposure**

<b>Ingestion</b>	May cause stomach distress, nausea or vomiting.
<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Skin contact</b>	No adverse effects due to skin contact are expected.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.

**Symptoms related to the physical, chemical and toxicological characteristics** Direct contact with eyes may cause temporary irritation.

**Information on toxicological effects**

**Acute toxicity** Not known.

Components	Species	Test Results
------------	---------	--------------

1,2-Propanediol (CAS 57-55-6)

**Acute**

*Dermal*

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

*Inhalation*

LC50 Rabbit > 317042 mg/m<sup>3</sup>, 2 Hours, ECHA

*Oral*

LD50 Rat 22000 mg/kg, ECHA

Aluminium oxide (CAS 1344-28-1)

**Acute**

*Dermal*

LD50 Not available

*Inhalation*

LC50 Rat > 2.3 mg/L, 4 Hours, ECHA  
7.6 mg/L, 1 Hours

*Oral*

LD50 Rat > 2000 mg/kg, ECHA

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)

**Acute**

*Dermal*

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

*Inhalation*

LC50 Rat 7640 mg/m<sup>3</sup>, 4 Hours, ECHA  
4.6 mg/L, 4 Hours, ECHA

*Oral*

LD50 Rat > 5000 mg/kg, ECHA

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

**Acute**

*Dermal*

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

*Inhalation*

LC50 Rat > 5.3 mg/L, 4 Hours, ECHA

*Oral*

LD50 Rat > 5000 mg/kg, ECHA

Components	Species	Test Results
Glycerol (CAS 56-81-5)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Guinea pig	56750 mg/kg, ECHA
<i>Inhalation</i>		
LC50	Rat	275000 mg/m <sup>3</sup> , 4 hours, ECHA
<i>Oral</i>		
LD50	Rat	11500 mg/kg, ECHA
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	> 5.2 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	5000 mg/kg, ECHA
Propylene glycol monomethyl ether (CAS 107-98-2)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg, ECHA
<i>Inhalation</i>		
LC50	Rat	30 mg/l/4h, ECHA
<i>Oral</i>		
LD50	Rat	4016 mg/kg, ECHA
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.	
<b>Exposure minutes</b>	Not available.	
<b>Erythema value</b>	Not available.	
<b>Oedema value</b>	Not available.	
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.	
<b>Corneal opacity value</b>	Not available.	
<b>Iris lesion value</b>	Not available.	
<b>Conjunctival reddening value</b>	Not available.	
<b>Conjunctival oedema value</b>	Not available.	
<b>Recover days</b>	Not available.	
<b>Respiratory or skin sensitisation</b>		
<b>Canada - Alberta OELs: Irritant</b>		
Glycerol (CAS 56-81-5)	Irritant	
<b>Respiratory sensitisation</b>	Not a respiratory sensitizer.	
<b>Skin sensitisation</b>	This product is not expected to cause skin sensitisation.	
<b>Mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	Not classifiable as to carcinogenicity to humans.	
<b>ACGIH Carcinogens</b>		
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0)	A2 Suspected human carcinogen.	
<b>Canada - Manitoba OELs: carcinogenicity</b>		
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0)	Suspected human carcinogen.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	Volume 33, Supplement 7 - 3 Not classifiable as to carcinogenicity to humans.	
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)</b>		
Not listed.		



## US NTP Report on Carcinogens: Known carcinogen

Lubricating oils (petroleum), C15-30, hydrotreated neutral Known To Be Human Carcinogen.  
oil-based (CAS 72623-86-0)

<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
<b>Teratogenicity</b>	Not available.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Chronic effects</b>	Prolonged inhalation may be harmful.

---

## 12. Ecological information

---

**Ecotoxicity** See below

### Ecotoxicological data

Components		Species	Test Results
1,2-Propanediol (CAS 57-55-6)			
Crustacea	EC50	Daphnia	10000 mg/L, 48 Hours
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/L, 96 hours
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)			
<b>Aquatic</b>			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/L, 96 hours
Glycerol (CAS 56-81-5)			
<b>Aquatic</b>			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	51000 - 57000 mg/L, 96 hours
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0)			
Crustacea	EC50	Daphnia	1000 mg/L, 48 Hours
Propylene glycol monomethyl ether (CAS 107-98-2)			
Crustacea	EC50	Daphnia	23300 mg/L, 48 Hours
<b>Persistence and degradability</b>	No data is available on the degradability of any ingredients in the mixture.		
<b>Bioaccumulative potential</b>			
<b>Mobility in soil</b>	No data available.		
<b>Mobility in general</b>	Not available.		
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

---

## 13. Disposal considerations

---

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

---

## 14. Transport information

---

**Transport of Dangerous Goods (TDG) Proof of Classification** Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

### U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

## Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

---

## 15. Regulatory information

---

**Canadian federal regulations** This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

**Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8) 1 TONNES

**Canada Priority Substances List (Second List): Listed substance**

Aluminium oxide (CAS 1344-28-1) Listed.

Glycerol (CAS 56-81-5) Listed.

**Export Control List (CEPA 1999, Schedule 3)**

Not listed.

**Greenhouse Gases**

Not listed.

**Precursor Control Regulations**

Not regulated.

**WHMIS 2015 Exemptions** Not applicable

**US Federal regulations** This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Listed.

Propylene glycol monomethyl ether (CAS 107-98-2) Listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** Yes

**Classified hazard categories** Acute toxicity (any route of exposure)

**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
Aluminium oxide	1344-28-1	1 - 5

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**US state regulations**

**US - California Hazardous Substances (Director's): Listed substance**

Aluminium oxide (CAS 1344-28-1) Listed.

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.

Propylene glycol monomethyl ether (CAS 107-98-2) Listed.

**US - Illinois Chemical Safety Act: Listed substance**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

Propylene glycol monomethyl ether (CAS 107-98-2)

**US - Louisiana Spill Reporting: Listed substance**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Listed.

Propylene glycol monomethyl ether (CAS 107-98-2) Listed.

**US - Minnesota Haz Subs: Listed substance**

1,2-Propanediol (CAS 57-55-6) Listed.

Aluminium oxide (CAS 1344-28-1) Listed.

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.  
 Glycerol (CAS 56-81-5) Listed.  
 Propylene glycol monomethyl ether (CAS 107-98-2) Listed.

**US - Texas Effects Screening Levels: Listed substance**

1,2-Propanediol (CAS 57-55-6) Listed.  
 Aluminium oxide (CAS 1344-28-1) Listed.  
 Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.  
 Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Listed.  
 Glycerol (CAS 56-81-5) Listed.  
 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0) Listed.  
 Propylene glycol monomethyl ether (CAS 107-98-2) Listed.

**US. Massachusetts RTK - Substance List**

Aluminium oxide (CAS 1344-28-1)  
 Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)  
 Distillates (petroleum), light hydrotreated (CAS 64742-47-8)  
 Glycerol (CAS 56-81-5)  
 Propylene glycol monomethyl ether (CAS 107-98-2)

**US. New Jersey Worker and Community Right-to-Know Act**

1,2-Propanediol (CAS 57-55-6)  
 Aluminium oxide (CAS 1344-28-1)  
 Distillates (petroleum), light hydrotreated (CAS 64742-47-8)  
 Glycerol (CAS 56-81-5)  
 Propylene glycol monomethyl ether (CAS 107-98-2)

**US. Pennsylvania Worker and Community Right-to-Know Law**

1,2-Propanediol (CAS 57-55-6)  
 Aluminium oxide (CAS 1344-28-1)  
 Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)  
 Distillates (petroleum), light hydrotreated (CAS 64742-47-8)  
 Glycerol (CAS 56-81-5)  
 Propylene glycol monomethyl ether (CAS 107-98-2)

**US. Rhode Island RTK**

1,2-Propanediol (CAS 57-55-6)  
 Aluminium oxide (CAS 1344-28-1)  
 Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)  
 Distillates (petroleum), light hydrotreated (CAS 64742-47-8)  
 Glycerol (CAS 56-81-5)  
 Propylene glycol monomethyl ether (CAS 107-98-2)

**US. California Proposition 65**

This product is not subject to warning labeling under the California Proposition 65 regulation.

**Inventory status**


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**16. Other information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

<b>HEALTH</b>	* 2
<b>FLAMMABILITY</b>	1
<b>PHYSICAL HAZARD</b>	0
<b>PERSONAL PROTECTION</b>	



**Disclaimer**

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. ([www.delltech.com](http://www.delltech.com)) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

19-October-2022

**Version No.**

01

**Effective date**

19-October-2022

**Further information**

Not available.