

## 1. Identification

<b>Product identifier</b>	<b>SONAX PROFILINE Glass Polish</b>		
<b>Other means of identification</b>	Article number: 02731410		
<b>Recommended use</b>	Car care product		
<b>Recommended restrictions</b>	None known.		
<b>Manufacturer/Importer/Supplier/Distributor information</b>			
<b>Manufacturer</b>			
<b>Company name</b>	Sonax GmbH		
<b>Address</b>	Münchener Strasse 75 D-86633 Neuburg/Donau Germany		
<b>Telephone</b>	Phone:	0049 84 31 53-0	
<b>E-mail</b>	Not available.		
<b>Emergency phone number</b>	Emergency Contact (24h)	GBK/Infotrac ID 91785: (USA domestic) 1 800 535 5053 or international (001) 352 323	
<b>Supplier</b>	Vision Investments, LLC 17414 Tiller Court Westfield, IN 46074 US Email: info@sonaxusa.com Phone: 1-317-295-7056		

## 2. Hazard identification

<b>Physical hazards</b>	Not classified.		
<b>Health hazards</b>	Not classified.		
<b>Environmental hazards</b>	Not classified.		
<b>WHMIS 2015 defined hazards</b>	Not classified		
<b>Label elements</b>			
<b>Hazard symbol</b>	None.		
<b>Signal word</b>	None.		
<b>Hazard statement</b>	The mixture does not meet the criteria for classification.		
<b>Precautionary statement</b>			
<b>Prevention</b>	Observe good industrial hygiene practices.		
<b>Response</b>	Wash hands after handling.		
<b>Storage</b>	Store away from incompatible materials.		
<b>Disposal</b>	Dispose of waste and residues in accordance with local authority requirements.		
<b>WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)</b>	None known		
<b>WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)</b>	None known		
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.		
<b>Supplemental information</b>	None.		

## 3. Composition/Information on ingredients

### Mixture

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated middle		64742-46-7	5 - 10
Glycerol		56-81-5	3 - 7

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), light hydrotreated		64742-47-8	1 - 5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

<b>Inhalation</b>	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do not induce vomiting. Never give anything by mouth if victim is unconscious or is convulsing. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Get medical attention if symptoms occur.
<b>Most important symptoms/effects, acute and delayed</b>	Direct contact with eyes may cause temporary irritation.
<b>Indication of immediate medical attention and special treatment needed</b>	Symptoms may be delayed. Treat symptomatically.
<b>General information</b>	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance.

#### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Treat for surrounding material.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon.

#### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	<p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p>
<b>Environmental precautions</b>	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

<b>Precautions for safe handling</b>	Avoid contact with eyes and skin. Avoid breathing vapours or mists. Do not taste or swallow. Observe good industrial hygiene practices. Handle and open container with care. Wash contaminated clothing before reuse. Wash thoroughly after handling.
<b>Conditions for safe storage, including any incompatibilities</b>	Keep out of the reach of children. Keep container tightly closed in a cool, dry and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/Personal protection

### Occupational exposure limits

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	TWA	200 mg/m <sup>3</sup>	Vapour.
Glycerol (CAS 56-81-5)	TWA	10 mg/m <sup>3</sup>	Mist.

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	1 mg/m <sup>3</sup>	Mist.
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	TWA	200 mg/m <sup>3</sup>	Non-aerosol.
Glycerol (CAS 56-81-5)	TWA	3 mg/m <sup>3</sup>	Respirable mist.
		10 mg/m <sup>3</sup>	Total mist

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.

#### Canada. New Brunswick Regulation 91-191, as amended

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.
Glycerol (CAS 56-81-5)	TWA	10 mg/m <sup>3</sup>	Mist.

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.

#### Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.
Glycerol (CAS 56-81-5)	TWA	10 mg/m <sup>3</sup>	Mist.

#### Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 2020. S-15.1 Reg. 10. Table 18)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	15 minute	10 mg/m <sup>3</sup>	
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	15 minute	250 mg/m <sup>3</sup>	Vapour.
Glycerol (CAS 56-81-5)	15 minute	20 mg/m <sup>3</sup>	Mist.

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	PEL	5 mg/m3	Mist.
Glycerol (CAS 56-81-5)	PEL	5 mg/m3 15 mg/m3	Respirable fraction. Total dust.

**US. OSHA Table Z-3 (29 CFR 1910.1000)**

Components	Type	Value	Form
Glycerol (CAS 56-81-5)	TWA	5 mg/m3 15 mg/m3 50 Mppcf 15 Mppcf	Respirable fraction. Total dust. Total dust. Respirable fraction.

**US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	5 mg/m3	Inhalable fraction.

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	TWA	100 mg/m3	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines****Canada - Alberta OELs: Skin designation**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Can be absorbed through the skin.

**Canada - British Columbia OELs: Skin designation**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Can be absorbed through the skin.

**Canada - Saskatchewan OELs: Skin designation**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Can be absorbed through the skin.

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Not normally required when used as directed. When handling in large quantities or responding to emergency situations, the use of appropriate eye protection is recommended.

**Skin protection****Hand protection**

Not normally required when used as directed. When handling in large quantities or responding to emergency situations, the use of appropriate skin protection is recommended.

**Other**

Wear appropriate chemical resistant clothing.

**Respiratory protection**

Not normally required if good ventilation is maintained. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

**Thermal hazards**

Not available.

**General hygiene considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties****Appearance**

Liquid

Physical state	Liquid.
Form	Pasty
Colour	White
Odour	Odourless
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Specific gravity	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not flammable
<b>Upper/lower flammability or explosive limits</b>	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	Partly miscible.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Product is not selfigniting.
Decomposition temperature	Not available.
Viscosity	Not available.
<b>Other information</b>	
Pour point	Not available.
Density	1.01 - 1.03 g/cm <sup>3</sup>
Dynamic viscosity	30000 - 65000 mPa·s
Dynamic viscosity temperature	20 °C (68 °F)
Explosive properties	Not explosive.
Kinematic viscosity	> 20.5 mm <sup>2</sup> /s
Kinematic viscosity temperature	40 °C (104 °F)
Oxidising properties	Not oxidising.

---

## 10. Stability and reactivity

---

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

---

## 11. Toxicological information

---

Routes of exposure	Inhalation. Ingestion. Skin contact. Eye contact.
<b>Information on likely routes of exposure</b>	
Ingestion	May cause stomach distress, nausea or vomiting.

<b>Inhalation</b>	Prolonged inhalation may be harmful.	
<b>Skin contact</b>	Prolonged or repeated contact may dry skin and cause irritation.	
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.	
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Direct contact with eyes may cause temporary irritation.	
<b>Information on toxicological effects</b>		
<b>Acute toxicity</b>	See below.	
<b>Components</b>	<b>Species</b>	
<b>Test Results</b>		
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	7640 mg/m <sup>3</sup> , 4 Hours, ECHA 4.6 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg, ECHA
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	> 5.3 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg, ECHA
Glycerol (CAS 56-81-5)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Guinea pig	56750 mg/kg, ECHA
<i>Inhalation</i>		
LC50	Rat	275000 mg/m <sup>3</sup> , 4 hours, ECHA
<i>Oral</i>		
LD50	Rat	11500 mg/kg, ECHA
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.	
<b>Exposure minutes</b>	Not available.	
<b>Erythema value</b>	Not available.	
<b>Oedema value</b>	Not available.	
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.	
<b>Corneal opacity value</b>	Not available.	
<b>Iris lesion value</b>	Not available.	
<b>Conjunctival reddening value</b>	Not available.	
<b>Conjunctival oedema value</b>	Not available.	
<b>Recover days</b>	Not available.	
<b>Respiratory or skin sensitisation</b>		
<b>Canada - Alberta OELs: Irritant</b>		
Glycerol (CAS 56-81-5)	Irritant	
<b>Respiratory sensitisation</b>	Not a respiratory sensitizer.	
<b>Skin sensitisation</b>	This product is not expected to cause skin sensitisation.	
<b>Mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	Not classifiable as to carcinogenicity to humans.	

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)

Volume 33, Supplement 7 - 3 Not classifiable as to carcinogenicity to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

Not listed.

<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
<b>Teratogenicity</b>	Not available.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Chronic effects</b>	Prolonged inhalation may be harmful.

**12. Ecological information**

**Ecotoxicity** See below

**Ecotoxicological data**

Components	Species	Test Results
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)		
<b>Aquatic</b>		
Fish	LC50 Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/L, 96 hours
Glycerol (CAS 56-81-5)		
<b>Aquatic</b>		
Fish	LC50 Rainbow trout,donaldson trout (Oncorhynchus mykiss)	51000 - 57000 mg/L, 96 hours
<b>Persistence and degradability</b>	No data is available on the degradability of any ingredients in the mixture.	
<b>Bioaccumulative potential</b>	No data available.	
<b>Mobility in soil</b>	No data available.	
<b>Mobility in general</b>	Not available.	
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

**13. Disposal considerations**

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**14. Transport information**

<b>Transport of Dangerous Goods (TDG) Proof of Classification</b>	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.
<b>U.S. Department of Transportation (DOT)</b>	Not regulated as dangerous goods.
<b>Transportation of Dangerous Goods (TDG - Canada)</b>	Not regulated as dangerous goods.

**15. Regulatory information**

<b>Canadian federal regulations</b>	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.
<b>Canada CEPA Schedule I: Listed substance</b>	
Glycerol (CAS 56-81-5)	Listed.

**Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8) 1 TONNES

**Canada Priority Substances List (Second List): Listed substance**

Glycerol (CAS 56-81-5) Listed.

**Export Control List (CEPA 1999, Schedule 3)**

Not listed.

**Greenhouse Gases**

Not listed.

**Precursor Control Regulations**

Not regulated.

**WHMIS 2015 Exemptions** Not applicable

**US Federal regulations** This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**US state regulations****US - California Hazardous Substances (Director's): Listed substance**

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.

**US - Illinois Chemical Safety Act: Listed substance**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

**US - Louisiana Spill Reporting: Listed substance**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Listed.

**US - Minnesota Haz Subs: Listed substance**

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.

Glycerol (CAS 56-81-5) Listed.

**US - Texas Effects Screening Levels: Listed substance**

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.

Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Listed.

Glycerol (CAS 56-81-5) Listed.

**US. Massachusetts RTK - Substance List**

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

Glycerol (CAS 56-81-5)

**US. New Jersey Worker and Community Right-to-Know Act**

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

Glycerol (CAS 56-81-5)



**US. Pennsylvania Worker and Community Right-to-Know Law**

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)  
 Distillates (petroleum), light hydrotreated (CAS 64742-47-8)  
 Glycerol (CAS 56-81-5)

**US. Rhode Island RTK**

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)  
 Distillates (petroleum), light hydrotreated (CAS 64742-47-8)  
 Glycerol (CAS 56-81-5)

**US. California Proposition 65**

This product is not subject to warning labeling under the California Proposition 65 regulation.

**Inventory status**


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**16. Other information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

<b>HEALTH</b>	* 2
<b>FLAMMABILITY</b>	1
<b>PHYSICAL HAZARD</b>	0
<b>PERSONAL PROTECTION</b>	

**Disclaimer**

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

<b>Issue date</b>	22-March-2023
<b>Version No.</b>	01
<b>Effective date</b>	22-March-2023
<b>Further information</b>	Not available.