


1. Identification

| | | |
|---|---|--|
| Product identifier | Sonax Profiline Actifoam Energy SONAX ActiFoam Energy | |
| Other means of identification | | |
| Synonyms | 06183000-755, 06185050-755 | |
| Recommended use | Car Care | |
| Recommended restrictions | None known. | |
| Manufacturer/Importer/Supplier/Distributor information | | |
| Manufacturer | | |
| Company name | Sonax GmbH | |
| Address | Münchener Strasse 75 D-86633 Neuburg/Donau Germany 0049 84 31 53-0 Emergency CONTACT: (24-Hour-Number) GBK/Infotrac ID 91785: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500 | |
| Supplier | Vision Investments, LLC 17414 Tiller Court Westfield, IN 46074 US Email: info@sonaxusa.com Phone: 1-317-295-7056 | |

2. Hazard identification

| | | |
|--|---|------------|
| Physical hazards | Not classified. | |
| Health hazards | Skin corrosion/irritation | Category 2 |
| | Serious eye damage/eye irritation | Category 1 |
| Environmental hazards | Not classified. | |
| WHMIS 2015 defined hazards | Not classified | |
| Label elements |  | |
| Signal word | Danger | |
| Hazard statement | Causes skin irritation. Causes serious eye damage. | |
| Precautionary statement | | |
| Prevention | Wash thoroughly after handling. Wear protective gloves, eye protection, and face protection. | |
| Response | IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. | |
| Storage | Store away from incompatible materials. | |
| Disposal | Dispose of waste and residues in accordance with local authority requirements. | |
| WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC) | None known | |
| WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC) | None known | |
| Hazard(s) not otherwise classified (HNOC) | None known. | |

3. Composition/Information on ingredients

Mixture

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|-----------|
| 2-Propanol, 1-methoxy- | | 107-98-2 | 1 - 5 * |
| Amines, C10-16 alkyldimethyl, N-oxides | | 70592-80-2 | 0.1 - 1 * |
| C12-14 fatty alkyl ether sulphate, sodium salt | | 68891-38-3 | 10 - 30 * |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.
US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First-aid measures

| | |
|---|--|
| Inhalation | If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. |
| Skin contact | IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Specific treatment (see product label). Take off contaminated clothing and wash it before reuse. |
| Eye contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. |
| Ingestion | Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Get medical attention if symptoms occur. |
| Most important symptoms/effects, acute and delayed | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. |
| General information | If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide. |
| Unsuitable extinguishing media | Not available. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire-fighting equipment/instructions | Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |
| Hazardous combustion products | May include and are not limited to: Oxides of carbon. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Do not discharge into lakes, streams, ponds or public waters. |

7. Handling and storage

| | |
|--------------------------------------|--|
| Precautions for safe handling | Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Provide adequate ventilation. Wash thoroughly after handling. When using do not eat or drink. |
|--------------------------------------|--|

8. Exposure controls/Personal protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components | Type | Value |
|--|------|-----------|
| 2-Propanol, 1-methoxy- (CAS 107-98-2) | STEL | 553 mg/m3 |
| | | 150 ppm |
| | TWA | 369 mg/m3 |
| | | 100 ppm |

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components | Type | Value |
|--|------|---------|
| 2-Propanol, 1-methoxy- (CAS 107-98-2) | STEL | 100 ppm |
| | TWA | 50 ppm |

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components | Type | Value |
|--|------|---------|
| 2-Propanol, 1-methoxy- (CAS 107-98-2) | STEL | 100 ppm |
| | TWA | 50 ppm |

Canada. New Brunswick OELs: Threshold Limit Values (TLVs) Based on the 1991 and 1997 ACGIH TLVs and BEIs Publication (New Brunswick Regulation 91-191), as amended

| Components | Type | Value |
|--|------|-----------|
| 2-Propanol, 1-methoxy- (CAS 107-98-2) | STEL | 553 mg/m3 |
| | | 150 ppm |
| | TWA | 369 mg/m3 |
| | | 100 ppm |

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

| Components | Type | Value |
|--|------|---------|
| 2-Propanol, 1-methoxy- (CAS 107-98-2) | STEL | 100 ppm |
| | TWA | 50 ppm |

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

| Components | Type | Value |
|--|------|-----------|
| 2-Propanol, 1-methoxy- (CAS 107-98-2) | STEL | 553 mg/m3 |
| | | 150 ppm |
| | TWA | 369 mg/m3 |
| | | 100 ppm |

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

| Components | Type | Value |
|--|-----------|---------|
| 2-Propanol, 1-methoxy- (CAS 107-98-2) | 15 minute | 150 ppm |
| | 8 hour | 100 ppm |

US. ACGIH Threshold Limit Values

| Components | Type | Value |
|--|------|---------|
| 2-Propanol, 1-methoxy- (CAS 107-98-2) | STEL | 100 ppm |
| | TWA | 50 ppm |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|--|------|-----------|
| 2-Propanol, 1-methoxy- (CAS 107-98-2) | STEL | 540 mg/m3 |

| Components | Type | Value |
|--|--|-----------------------|
| | | 150 ppm |
| | TWA | 360 mg/m ³ |
| | | 100 ppm |
| Biological limit values | No biological exposure limits noted for the ingredient(s). | |
| Appropriate engineering controls | Ensure adequate ventilation. | |
| Individual protection measures, such as personal protective equipment | | |
| Eye/face protection | Wear safety glasses with side shields (or goggles) and a face shield. | |
| Skin protection | | |
| Hand protection | Nitrile gloves are recommended. Confirm with a reputable supplier first. | |
| Other | As required by employer code. | |
| Respiratory protection | Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2). | |
| Thermal hazards | Not applicable. | |
| General hygiene considerations | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke. | |

9. Physical and chemical properties

| | |
|---|--------------------------------------|
| Appearance | Liquid |
| Physical state | Liquid. |
| Form | Liquid. |
| Color | Brown |
| Odor | Fruity |
| Odor threshold | Not available. |
| pH | 6.5 - 7.5 @ 20°C |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | 212 °F (100 °C) |
| Pour point | Not available. |
| Specific gravity | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Flash point | Not available. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | 23 hPa @ 20°C |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | < 20.5 mm ² /s @ 40°C |
| Other information | |
| Density | 1.04 - 1.05 g/cm ³ @ 20°C |
| Explosive properties | Not explosive. |

Oxidizing properties

Not oxidizing.

10. Stability and reactivity

| | |
|---|---|
| Reactivity | May react with incompatible materials. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Chemical stability | Material is stable under normal conditions. |
| Conditions to avoid | Do not mix with other chemicals. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | May include and are not limited to: Oxides of carbon. |

11. Toxicological information

| | |
|---|--|
| Routes of exposure | Eye, Skin contact, Inhalation, Ingestion. |
| Information on likely routes of exposure | |
| Ingestion | May cause stomach distress, nausea or vomiting. |
| Inhalation | Prolonged inhalation may be harmful. |
| Skin contact | Causes skin irritation. |
| Eye contact | Causes serious eye damage. |
| Symptoms related to the physical, chemical and toxicological characteristics | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. |

Information on toxicological effects

Acute toxicity

| Components | Species | Test Results |
|---|----------------------------|------------------------------|
| 2-Propanol, 1-methoxy- (CAS 107-98-2) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rat | > 2000 mg/kg, ECHA |
| <i>Inhalation</i> | | |
| LC50 | Rat | 30 mg/l/4h, ECHA |
| <i>Oral</i> | | |
| LD50 | Rat | 4016 mg/kg, ECHA |
| Amines, C10-16 alkyldimethyl, N-oxides (CAS 70592-80-2) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Not available | |
| <i>Inhalation</i> | | |
| LC50 | Not available | |
| <i>Oral</i> | | |
| LD50 | Not available | |
| C12-14 fatty alkyl ether sulphate, sodium salt (CAS 68891-38-3) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rat | > 2000 mg/kg, 24 Hours, ECHA |
| <i>Inhalation</i> | | |
| LC50 | Not available | |
| <i>Oral</i> | | |
| LD50 | Rat | 2870 mg/kg, ECHA |
| Skin corrosion/irritation | Causes skin irritation. | |
| Exposure minutes | Not available. | |
| Erythema value | Not available. | |
| Oedema value | Not available. | |
| Serious eye damage/eye irritation | Causes serious eye damage. | |
| Corneal opacity value | Not available. | |

Iris lesion value Not available.
 Conjunctival reddening value Not available.
 Conjunctival oedema value Not available.
 Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.
 Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity See below.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1)
 Acetaldehyde (CAS 75-07-0)
 Ethylene oxide (CAS 75-21-8)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Not available.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity See below

Ecotoxicological data

| Components | Species | Test Results |
|--|-----------------|----------------------|
| 2-Propanol, 1-methoxy- (CAS 107-98-2) Crustacea | EC50 Daphnia | 23300 mg/L, 48 Hours |

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Controlled

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

2-Methyl-4-isothiazolin-3-one (CAS 2682-20-4) 1.0 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.

US - Illinois Chemical Safety Act: Listed substance

2-Propanol, 1-methoxy- (CAS 107-98-2)

US - Louisiana Spill Reporting: Listed substance

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.

US - Minnesota Haz Subs: Listed substance

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.

US - Texas Effects Screening Levels: Listed substance

2-Methyl-4-isothiazolin-3-one (CAS 2682-20-4) Listed.

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.

Amines, C10-16 alkyldimethyl, N-oxides (CAS 70592-80-2) Listed.

C12-14 fatty alkyl ether sulphate, sodium salt (CAS 68891-38-3) Listed.

US. Massachusetts RTK - Substance List

2-Propanol, 1-methoxy- (CAS 107-98-2)

US. New Jersey Worker and Community Right-to-Know Act

2-Propanol, 1-methoxy- (CAS 107-98-2)

US. Pennsylvania Worker and Community Right-to-Know Law

2-Propanol, 1-methoxy- (CAS 107-98-2)

US. Rhode Island RTK

2-Propanol, 1-methoxy- (CAS 107-98-2)

US. California Proposition 65



WARNING: This product can expose you to chemicals including acetaldehyde, which is known to the State of California to cause cancer, and ethylene oxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

| | |
|------------------------------|-------------------------|
| 1,4-Dioxane (CAS 123-91-1) | Listed: January 1, 1988 |
| Acetaldehyde (CAS 75-07-0) | Listed: April 1, 1988 |
| Ethylene oxide (CAS 75-21-8) | Listed: July 1, 1987 |

California Proposition 65 - CRT: Listed date/Developmental toxin

| | |
|------------------------------|------------------------|
| Ethylene oxide (CAS 75-21-8) | Listed: August 7, 2009 |
|------------------------------|------------------------|

California Proposition 65 - CRT: Listed date/Female reproductive toxin

| | |
|------------------------------|---------------------------|
| Ethylene oxide (CAS 75-21-8) | Listed: February 27, 1987 |
|------------------------------|---------------------------|

California Proposition 65 - CRT: Listed date/Male reproductive toxin

| | |
|------------------------------|------------------------|
| Ethylene oxide (CAS 75-21-8) | Listed: August 7, 2009 |
|------------------------------|------------------------|

Inventory status


| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

| LEGEND | |
|----------|---|
| Severe | 4 |
| Serious | 3 |
| Moderate | 2 |
| Slight | 1 |
| Minimal | 0 |

| | |
|----------------------------|-----|
| HEALTH | / 2 |
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |
| PERSONAL PROTECTION | X |



Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

26-April-2022

Version #

03

Effective date

23-March-2022

Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Further information

Not available.

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.